

6000 Series BEARINGS















Technical Specifications

	Main Dimension (mm)				Load Rating		Max Runout Speed		
Bearing No.	Diam	Diam	Largeur	Rayon	Dynamic	Static	GREASE	Oil	Weight Kg
	int	ext							
140.	d	D	В	r			tr/min	tr/min	Ng
				min					
605	5	14	5	0.2	1.33	0.51	39000	46000	0.004
606	6	17	6	0.3	2.26	0.87	35000	42000	0.006
607	7	19	6	0.3	2.24	0.91	34000	40000	0.008
808	8	22	7	0.3	3.35	1.40	32000	37000	0.012
609	9	24	7	0.3	3.17	1.66	31000	36000	0.014
6000	10	26	8	0.3	4.58	1.98	29000	34000	0.019
6001	12	28	8	0.3	5.10	2.38	26000	30000	0.021
6002	15	32	9	0.3	5.58	2.85	22000	26000	0.030
6003	17	35	10	0.3	6.00	3.25	22000	26000	0.039
6004	20	42	12	0.6	9.38	5.02	18000	21000	0.069
6005	25	47	12	0.6	10.00	5.85	15000	18000	
6006	30	55	13	1.0	10.18	6.91	13500	16000	
6007	35	62	14	1.0	12.47	8.66	12000	14000	
8008	40	68	15	1.0	13.10	9.45	10000	12000	0.185
6009	45	75	16	1.0	16.22	11.96	9200	11000	0.231
6010	50	80	16	1.0	16.94	12.95	8400	9900	0.250
6011	55	90	18	1.1	23.28	17.86	7600	8900	0.362
6012	60	95	18	1.1	24.35	19.35	7100	8400	0.385
6013	65	100	18	1.1	30.50	25.20	6600	7800	0.408
6014	70	110	20	1.1	38.80	31.60	6100	7200	0.602
6015	75	115	20	1.1	39.50	33.50	5600	6700	0.649
6016	80	125	22	1.1	47.50	40.00	5300	6300	0.85
6017	85	130	22	1.1	49.50	43.10	5000	5900	0.89
6018	90	140	24	1.5	58.20	49.70	4700	5600	1.16
6019	95	145	24	1.5	60.40	53.90	4400	5200	1.21
6020	100	150	24	1.5	60.50	54.20	4300	5100	1.25